

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	@ad<"20030825" and ((category adj name adj service) or CNS) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3) with (URL or locator) and (categoriz\$3 or assign) with (URL or locator) with (number or percent or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:05
S2	0	@ad<"20030825" and ((category adj name adj service) or CNS) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3) with (URL or locator) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign) with (URL or locator) same (number or percent or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:06
S3	0	@ad<"20030825" and ((category adj name adj service) or CNS) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3) with (URL or locator) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign) same (URL or locator) same (number or percent or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:06
S4	38	@ad<"20030825" and ((category adj name adj service) or CNS) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3) with (URL or locator) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) same (number or percent or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:07
S5	53	@ad<"20030825" and ((category adj name adj service) or spam\$4) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3) with (URL or locator) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) same (number or percent or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:09

## EAST Search History

S6	48	@ad<"20030825" and ((category adj name adj service) or spam\$4) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:11
S7	1	@ad<"20030825" and ((category adj name adj service) or spam\$4) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold) and URL near3 filter\$3 near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:11
S8	7	@ad<"20030825" and ((category adj name adj service) or spam\$4) and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold) and (URL near3 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:12
S9	215	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold) and ((URL near3 database) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:13
S10	1	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold) and ((URL near3 database) or (category adj name adj service)) same filter\$3 same spam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:15

## EAST Search History

S11	30	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold) and ((URL near3 database) or (category adj name adj service)) same filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:19
S12	35	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold or value) and ((URL near3 database) or (category adj name adj service)) same (filter\$3 or restrict\$3) same (content or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:20
S13	11	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web) adj (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold or value) and (connect\$3 or contact\$3 or look\$3) same ((URL near3 database) or (category adj name adj service)) same (filter\$3 or restrict\$3) same (content or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:21
S14	12	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold or value) and (connect\$3 or contact\$3 or look\$3) same ((URL near3 database) or (category adj name adj service)) same (filter\$3 or restrict\$3) with (content or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:23

## EAST Search History

S15	35	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or number or percent or threshold or value) and ((URL near3 database) or (category adj name adj service)) same (filter\$3 or restrict\$3) with (content or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:32
S16	8	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3) with (URL or hyperlink) same (number or percent or threshold or value) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) same (filter\$3 or restrict\$3) with (content or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:34
S17	19	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or hyperlink) same (number or percent or threshold or value) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) same (filter\$3 or restrict\$3) with (content or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:36

## EAST Search History

S18	0	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or hyperlink) same (number or percent or threshold or value) same (filter\$3 or restrict\$3) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:38
S19	11	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or hyperlink) same (number or percent or threshold or value) and (filter\$3 or restrict\$3) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:38
S20	203	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or hyperlink) same (number or percent or threshold or value or appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:41

## EAST Search History

S21	85	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:42
S22	34	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or assign\$3) with (URL or hyperlink) with (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:41
S23	66	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:45

## EAST Search History

S24	8	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) and (assign\$ or categoriz\$3) with (value or number or threshold or category or appropriate or inappropriate) with (URL or hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:47
S25	8	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) and (assign\$ or categoriz\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:47
S26	16	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same (email or e-mail or ((mail or chat or web or internet or instant) near3 (message or text or body or content or page))) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 18:28

## EAST Search History

S27	28	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) with (URL or hyperlink) same ((web or internet) near3 (content or page or site)) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 18:30
S28	27	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) near3 (URL or hyperlink) same ((web or internet) near3 (content or page or site)) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (((URL or hyperlink) near3 (server or database)) or (category adj name adj service)) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 18:47
S29	34	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) near3 (URL or hyperlink or web) with (content or page or site) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 18:53



## EAST Search History

S30	39	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3) near3 (URL or hyperlink or web) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (URL or hyperlink or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 18:57
S31	36	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (URL or hyperlink or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:39
S32	105	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or hyperlink) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (web adj site)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 19:12

## EAST Search History

S33	34	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or hyperlink) with (web adj site) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (web adj site)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 19:13
S34	58	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or link or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3) with (URL or link or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or link or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (URL or hyperlink or web or site or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:42
S35	95	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4 or pars\$3) near3 (URL or link or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3 or group\$3) with (URL or link or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3 or designat\$3 or group\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or link or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (URL or hyperlink or web or site or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:45

## EAST Search History

S36	83	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4 or pars\$3) near3 (URL or link or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3 or group\$3) with (URL or link or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3 or designat\$3) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or link or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3) with access\$3 with (URL or hyperlink or web or site or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:58
S37	313	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or link or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3 or group\$3 or specif\$4) with (URL or link or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3 or designat\$3 or specif\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate) with (URL or link or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3 or permit\$4 or inhibit\$3) with access\$3 with (URL or hyperlink or web or site or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 19:33

## EAST Search History

S38	3	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or link or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3 or group\$3 or specif\$4) with (URL or link or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3 or designat\$3 or specif\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate or spam or adult or sex\$3) with (URL or link or hyperlink) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3 or permit\$4 or inhibit\$3) with access\$3 with (URL or hyperlink or web or site or page) same (sex\$3 or spam or adult)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 18:33
S39	3	@ad<"20030825" and (identif\$4 or pars\$3 or extract\$3 or recogniz\$3 or filter\$3 or scan\$4) near3 (URL or link or hyperlink) and (categoriz\$3 or filter\$3 or restrict\$3 or group\$3 or specif\$4) with (URL or link or hyperlink) same (appropriate or inappropriate) and (assign\$ or categoriz\$3 or provid\$3 or suppl\$4 or rat\$3 or designat\$3 or specif\$4) with (value or number or threshold or category or weighth or appropriate or inappropriate or spam or adult or sex\$3) with (URL or link or hyperlink) same (sex\$3 or spam or adult) and (control\$4 or filter\$3 or restrict\$3 or block\$3 or allow\$3 or permit\$4 or inhibit\$3) with access\$3 with (URL or hyperlink or web or site or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 19:32